



## Yuasa Technisches Datenblatt

### Yuasa YBX7100 - YBX7000 EFB Start Stop Plus Batterien

#### Leistung

Spannung 12V  
Kapazität 20 Std (vorgegeben) 65Ah  
Kaltstartstrom (A) EN1 650A

#### Abmessungen

Länge 278mm  
Breite 175mm  
Höhe 175mm

#### Maße und Gewichte

Durchschnittliches Gewicht inkl. Säure 17.6kg



#### Gehäuseeigenschaften

Gehäusotyp LB3 DIN EFB  
Batteriehalter B3  
Ladezustandsanzeige ✓  
Tragegriffe ✓  
Entgasung ✓  
Deckeltyp SMF doppelwandige Deckelkonstruktion

#### Technologie

Flammschutz ✓  
Technologie Ca/Ca  
Adskiller PE  
VDA Überschlagentest ✓  
Empfohlener Ladestrom 4A  
Performance Marking W3-C2-V3-M2

#### Anschlusspol Typ

##### T1


Standard DIN Post




Positive Terminal

Negative Terminal

#### Zellenanordnung



#### Batteriehalter



Datenblatt erstellt am 15/05/2024 - E&EO



## Yuasa Technical Data Sheet

### Yuasa YBX7100 - YBX7000 EFB Start Stop Plus Batteries

#### Performance

Voltage	12V
Capacity (20-hour)	65Ah
Cold Cranking Amps (EN1)	650A

#### Dimensions

Length	278mm
Width	175mm
Height	175mm

#### Weights & Measures

Mean Weight with Acid	17.6kg
-----------------------	--------



#### Container Features

Case Type	LB3 DIN EFB
Hold Down	B3
State of Charge Indicator	✓
Handles	✓
End Venting	✓
Lid Type	SMF Double Lid


#### Technology

Flame Arrestor	✓
Technology	Ca/Ca
Separator	PE
VDA Roll Over Test	✓
Recommended Charge Rate	4A
Performance Marking	W3-C2-V3-M2

#### Terminal Type

##### T1


Standard DIN Post




Positive Terminal

Negative Terminal

#### Cell Assembly Layout



#### Battery Hold-down



Data Sheet generated on 15/05/2024 - E&OE